

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(cluster SAME register SAME (functional OR execution) unit SAME control SAME pipeline register) AND "712".clas. AND @pd>="20110121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/05/03 10:16
L2	0	(cluster).ti. AND cluster AND pipeline register AND "712".clas. AND @pd>="20110121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/05/03 10:17
L3	0	(cluster\$3).ti. AND cluster\$3 AND pipeline\$1 NEAR2 register AND "712".clas. AND @pd>="20110121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/05/03 10:17
L4	2	(cluster).ti. AND "712".clas. AND @pd>="20110121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/05/03 10:17
L5	1	(cluster\$3) ab. AND (register SAME distance) AND @pd>="20110121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/05/03 10:17
L6	0	712/214.ccls. AND cluster\$3 NEAR5 distance NEAR5 register AND @pd>="20110121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/05/03 10:18
L7	5	"712".clas. AND cluster\$3 SAME synchroniz\$5 AND @pd>="20110121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/05/03 10:18
L8	0	"712".clas. AND cluster\$3 SAME	US-PGPUB;	ADJ	ON	2011/05/03

		(instruction NEAR2 synchroniz\$5) AND @pd>="20110121"	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			10:18
L9	0	"712".clas. AND (cluster\$3 NEAR3 distance) AND @pd>="20110121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/05/03 10:19
L10	0	"712".clas. AND (instruction NEAR4 issu\$3 NEAR4 pipeline register) AND @pd>="20110121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/05/03 10:19
L11	0	"712".clas. AND (distance SAME cluster\$3 SAME instruction) AND @pd>="20110121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/05/03 10:19
L12	13	"712".clas. AND cluster\$3 AND (instruction\$3 OR control\$4) (register OR buffer) AND @pd>="20110121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/05/03 10:19
L13	2	"712".clas. AND cluster\$3 AND (instruction\$3 OR control\$4) (register OR buffer) AND distance AND @pd>="20110121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/05/03 10:20
L14	0	"712".clas. AND (pipeline register NEAR10 distance) AND @pd>="20110121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/05/03 10:20
L15	0	"712".clas. AND (register NEAR10 distance) AND cluster\$3 AND @pd>="20110121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/05/03 10:21
L16	0	"712/214".cds. AND (instruction (buffer OR register) NEAR4 (tim\$3 OR latency OR delay)) AND @pd>="20110121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	ADJ	ON	2011/05/03 10:21

			IBM TDB			
L17	0	"712/214".cds. AND (instruction (buffer OR register) NEAR4 (clock cycle)) AND @pd>="20110121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/05/03 10:21
L18	0	"712/214".cds. AND pipeline register AND @pd>="20110121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/05/03 10:21
L19	0	"712".cds. AND (pipeline register SAME tim\$3 OR latency) AND @pd>="20110121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/05/03 10:22
L20	3	"712".clas. AND (pipeline register NEAR10 (tim\$3 OR latency OR throughput)) AND @pd>="20110121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/05/03 10:22
L21	4	pipeline NEAR20 synchroni\$7 NEAR20 (distance OR length) AND @pd>="20110121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/05/03 10:23
L22	0	pipelin\$3 NEAR10 (register OR latch) NEAR10 skew AND @pd>="20110121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/05/03 10:24
L23	2	pipelin\$3 NEAR10 (register OR latch) NEAR10 (clock OR signal) delay AND @pd>="20110121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/05/03 10:24
L24	0	pipelin\$3 NEAR10 (register OR latch) NEAR10 time NEAR10 align\$3 AND @pd>="20110121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/05/03 10:24
L25	1	(712/20-22).cds. AND pipeline register AND @pd>="20110121"	US-PGPUB; USPAT; USOCR; FPRS; EPO;	ADJ	ON	2011/05/03 10:24

			JPO; DERWENT; IBM_TDB			
L26	3	(712/20-22).cds. AND propagation AND @pd>="20110121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/05/03 10:25
L27	0	(712/20-22).cds. AND propagation (time OR delay) AND @pd>="20110121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/05/03 10:25
S1	1	(cluster SAME register SAME (functional OR execution) unit SAME control SAME pipeline register) AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 10:18
S2	0	(cluster).ti. AND cluster AND pipeline register AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 10:18
S3	5	(cluster\$3).ti. AND cluster\$3 AND pipeline\$1 NEAR2 register AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 10:28
S4	29	(cluster).ti. AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 10:28
S5	58	(cluster\$3).ti. AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 15:20
S6	0	(cluster\$3).ti. AND (register SAME distance) "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 11:03
S7	0	(cluster\$3).ab. AND (register SAME distance) "712".clas.	US-PGPUB; USPAT;	ADJ	ON	2006/11/29 11:06

			USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S8	1	712/214.ccls. AND cluster\$3 NEAR5 distance NEAR5 register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 11:08
S9	82	"712".clas. AND cluster\$3 SAME synchroniz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 11:13
S10	4	"712".clas. AND cluster\$3 SAME (instruction NEAR2 synchroniz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 11:14
S11	22	"712".clas. AND (cluster\$3 NEAR3 distance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 11:21
S12	2	"712".clas. AND (instruction NEAR4 issu\$3 NEAR4 pipeline register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 11:22
S13	8	"712".clas. AND (distance SAME cluster\$3 SAME instruction)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 11:31
S14	365	"712".clas. AND cluster\$3 AND (instruction\$3 OR control\$4) (register OR buffer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 11:32
S15	85	"712".clas. AND cluster\$3 AND (instruction\$3 OR control\$4) (register OR buffer) AND distance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 11:35

S16	2	"712".clas. AND (pipeline register NEAR10 distance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 11:36
S17	7	"712".clas. AND (register NEAR10 distance) AND cluster\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 11:39
S18	129	"712".clas. AND (cluster\$3 near4 control)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 11:42
S19	395	"712".clas. AND (instruction (buffer OR register) NEAR4 tim\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 11:44
S20	439	"712".clas. AND (instruction (buffer OR register) NEAR4 (tim\$3 OR latency OR delay))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 11:45
S21	10	"712/214".ccls. AND (instruction (buffer OR register) NEAR4 (tim\$3 OR latency OR delay))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 11:46
S22	4	"712/214".ccls. AND (instruction (buffer OR register) NEAR4 (clock cycle))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 12:49
S23	11	"712/214".ccls. AND pipeline register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 12:52
S24	0	"712".ccls. AND (pipeline register SAME tim\$3 OR latency)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	ADJ	ON	2006/11/29 12:54

			DERWENT; IBM_TDB			
S25	4673	"712".clas. AND (pipeline register SAME tim\$3 OR latency OR throughput)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 13:16
S26	4627	"712".clas. AND (pipeline register NEAR10 tim\$3 OR latency OR throughput)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 13:16
S27	114	"712".clas. AND (pipeline register NEAR10 (tim\$3 OR latency OR throughput))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 13:16
S28	0	"712".clas. AND "cluster.ti" AND (point to point OR point\$to\$point OR full\$1 connect\$4) AND bus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 15:03
S29	0	"712".clas. AND "cluster.ti" AND (point to point OR point\$to\$point OR full\$1 connect\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 15:03
S30	0	(cluster\$3).ti. AND (point NEAR4 interconnect) AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 15:23
S31	0	(cluster\$3).ti. AND (direct NEAR4 interconnect) AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 15:23
S32	2	(cluster\$3).ti. AND (direct\$2 NEAR4 interconnect) AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 15:23
S33	8	(cluster\$3).ti. AND (full\$1 NEAR4 \$5connect\$4) AND "712".clas.	US-PGPUB; USPAT; USOCR;	ADJ	ON	2006/11/29 15:28

			FPRS; EPO; JPO; DERWENT; IBM_TDB			
S34	1	(cluster\$3).ti. AND (complete NEAR4 \$5connect\$4) AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 15:31
S35	47	(cluster\$3).ti. AND bus AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 15:31
S36	8	(cluster\$3).ti. AND (bus NEAR5 instruction) AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 15:48
S37	58	(cluster\$3).ti. AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 15:50
S38	47	(cluster\$3).ti. AND bus AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 16:20
S39	19	("4228497" "5268995" "5301340" "5467476" "5530817" "5542059" "5657291" "5721868" "5761475" "5764943" "5778248" "5790827" "5901301" "6076159" "6170051").PN. OR ("6615338").URFN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/11/29 16:13
S40	13	(cluster\$3).ti. AND control signal AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 16:20
S41	3564	cluster AND (point\$1to\$1point OR point to point OR full\$1 \$5connect\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 16:28
S42	44	"712".clas. AND cluster SAME	US-PGPUB;	ADJ	ON	2006/11/29

		(point\$1to\$1point OR point to point OR full\$1 \$5connect\$3)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			16:29
S43	7	("4270594" "4833596" "5239654").PN. OR ("6269437").URFN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/11/29 17:16
S44	63	VLW SAME cluster AND "712".clas.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/11/29 17:25
S45	124	VLW AND (cluster SAME bus\$2) AND "712".clas.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/11/29 17:25
S46	97	(VLW AND (cluster SAME bus\$2) AND "712".clas.) NOT S44	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/11/29 17:26
S47	124	VLW AND cluster AND (control bus OR instruction bus)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 17:45
S48	63	VLW AND cluster AND (control bus OR instruction bus) NOT S46	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 17:48
S49	166	(cluster.ti. OR cluster.ab.) AND (control bus OR instruction bus)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 17:48
S50	302	(fully connected network) OR (fully-connected network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 16:03
S51	302	((fully connected network) OR (fully-connected network) AND cluster	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 16:04
S52	44	((((fully connected network) OR (fully-connected network)) AND cluster	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 16:04

S53	8	((fully connected network) OR (fully-connected network)) SAME cluster	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 16:04
S54	3	"20060155956"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/10/06 19:11
S55	176	"4720780"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/10/06 19:13
S56	0	(cluster SAME register SAME (functional OR execution) unit SAME control SAME pipeline register) AND "712".clas. AND @pd>="20061129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/10/07 11:15
S57	1	(cluster).ti. AND cluster AND pipeline register AND "712".clas. AND @pd>="20061129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/10/07 11:16
S58	2	(cluster\$3).ti. AND cluster\$3 AND pipeline\$1 NEAR2 register AND "712".clas. AND @pd>="20061129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/10/07 11:16
S59	33	(cluster).ti. AND "712".clas. AND @pd>="20061129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/10/07 11:17
S60	35	(cluster\$3).ab. AND (register SAME distance) AND @pd>="20061129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/10/07 11:19
S61	0	712/214.ccls. AND cluster\$3 NEAR5 distance NEAR5 register AND @pd>="20061129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	ADJ	ON	2010/10/07 11:21

			DERWENT; IBM_TDB			
S62	42	"712".clas. AND cluster\$3 SAME synchroniz\$5 AND @pd>="20061129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/10/07 11:21
S63	2	"712".clas. AND cluster\$3 SAME (instruction NEAR2 synchroniz\$5) AND @pd>="20061129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/10/07 11:23
S64	8	"712".clas. AND (cluster\$3 NEAR3 distance) AND @pd>="20061129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/10/07 11:23
S65	1	"712".clas. AND (instruction NEAR4 issu\$3 NEAR4 pipeline register) AND @pd>="20061129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/10/07 11:24
S66	4	"712".clas. AND (distance SAME cluster\$3 SAME instruction) AND @pd>="20061129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/10/07 11:24
S67	206	"712".clas. AND cluster\$3 AND (instruction\$3 OR control\$4) (register OR buffer) AND @pd>="20061129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/10/07 11:25
S68	37	"712".clas. AND cluster\$3 AND (instruction\$3 OR control\$4) (register OR buffer) AND distance AND @pd>="20061129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/10/07 11:25
S69	0	"712".clas. AND (pipeline register NEAR10 distance) AND @pd>="20061129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/10/07 11:26
S70	10	"712".clas. AND (register NEAR10 distance) AND cluster\$3 AND @pd>="20061129"	US-PGPUB; USPAT; USOCR;	ADJ	ON	2010/10/07 11:26

			FPRS; EPO; JPO; DERWENT; IBM_TDB			
S71	12	"712/214".ccls. AND (instruction (buffer OR register) NEAR4 (tim\$3 OR latency OR delay)) AND @pd>="20061129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/10/07 11:28
S72	1	"712/214".ccls. AND (instruction (buffer OR register) NEAR4 (clock cycle)) AND @pd>="20061129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/10/07 11:28
S73	12	"712/214".ccls. AND pipeline register AND @pd>="20061129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/10/07 11:28
S74	0	"712".ccls. AND (pipeline register SAME tim\$3 OR latency) AND @pd>="20061129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/10/07 11:29
S75	41	"712".clas. AND (pipeline register NEAR10 (tim\$3 OR latency OR throughput)) AND @pd>="20061129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/10/07 11:30
S76	10	pipeline NEAR20 synchroni\$7 NEAR20 distance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/10/07 11:34
S77	58	pipeline NEAR20 synchroni\$7 NEAR20 (distance OR length)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/10/07 11:34
S78	39	pipelin\$3 NEAR10 (register OR latch) NEAR10 skew	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/10/07 11:41
S79	1306	pipelin\$3 NEAR10 (register OR latch)	US-PGPUB;	ADJ	ON	2010/10/07

		NEAR10 delay	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			11:41
S80	21	pipelin\$3 NEAR10 (register OR latch) NEAR10 (clock OR signal) delay	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/10/07 11:42
S81	5	pipelin\$3 NEAR10 (register OR latch) NEAR10 time NEAR10 align\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/10/07 11:43
S82	16	(712/20-22).cds. AND pipeline register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/10/07 11:45
S83	17	("4314349" "4439839" "4481580" "5056000" "5187795" "5418952" "5471592" "5481736" "5497465" "5581777" "5606707").FN. OR ("5729758").URFN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/10/07 11:51
S84	108	(712/20-22).cds. AND propagation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/10/07 11:51
S85	52	(712/20-22).cds. AND propagation (time OR delay)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/10/07 11:52
S86	0	(cluster SAME register SAME (functional OR execution) unit SAME control SAME pipeline register) AND "712".clas. AND @pd>= "20101007"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/21 16:14
S87	0	(cluster).ti. AND cluster AND pipeline register AND "712".clas. AND @pd>= "20101007"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/21 16:14
S88	0	(cluster\$3).ti. AND cluster\$3 AND	US-PGPUB;	ADJ	ON	2011/01/21

		pipeline\$1 NEAR2 register AND "712".clas. AND @pd>="20101007"	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			16:17
S89	3	(cluster).ti. AND "712".clas. AND @pd>="20101007"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/21 16:17
S90	3	(cluster\$3).ab. AND (register SAME distance) AND @pd>="20101007"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/21 16:18
S91	0	712/214.ccls. AND cluster\$3 NEAR5 distance NEAR5 register AND @pd>="20101007"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/21 16:18
S92	4	"712".clas. AND cluster\$3 SAME synchroniz\$5 AND @pd>="20101007"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/21 16:19
S93	0	"712".clas. AND cluster\$3 SAME (instruction NEAR2 synchroniz\$5) AND @pd>="20101007"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/21 16:19
S94	1	"712".clas. AND (cluster\$3 NEAR3 distance) AND @pd>="20101007"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/21 16:19
S95	0	"712".clas. AND (instruction NEAR4 issu\$3 NEAR4 pipeline register) AND @pd>="20101007"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/21 16:20
S96	0	"712".clas. AND (distance SAME cluster\$3 SAME instruction) AND @pd>="20101007"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	ADJ	ON	2011/01/21 16:20

			IBM TDB			
S97	17	"712".clas. AND cluster\$3 AND (instruction\$3 OR control\$4) (register OR buffer) AND @pd>="20101007"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/21 16:21
S98	0	"712".clas. AND cluster\$3 AND (instruction\$3 OR control\$4) (register OR buffer) AND distance AND @pd>="20101007"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/21 16:22
S99	0	"712".clas. AND (pipeline register NEAR10 distance) AND @pd>="20101007"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/21 16:22
S100	1	"712".clas. AND (register NEAR10 distance) AND cluster\$3 AND @pd>="20101007"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/21 16:23
S101	2	"712/214".ccls. AND (instruction (buffer OR register) NEAR4 (tim\$3 OR latency OR delay)) AND @pd>="20101007"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/21 16:23
S102	1	"712/214".ccls. AND (instruction (buffer OR register) NEAR4 (clock cycle)) AND @pd>="20101007"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/21 16:24
S103	0	"712/214".ccls. AND pipeline register AND @pd>="20101007"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/21 16:24
S104	0	"712".ccls. AND (pipeline register SAME tim\$3 OR latency) AND @pd>="20101007"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/21 16:24
S105	2	"712".clas. AND (pipeline register NEAR10 (tim\$3 OR latency OR throughput)) AND @pd>="20101007"	US-PGPUB; USPAT; USOCR; FPRS; EPO;	ADJ	ON	2011/01/21 16:25

			JPO; DERWENT; IBM_TDB			
S106	0	pipeline NEAR20 synchroni\$7 NEAR20 distance AND @pd>="20101007"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/21 16:25
S107	0	pipeline NEAR20 synchroni\$7 NEAR20 (distance OR length) AND @pd>="20101007"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/21 16:26
S108	1	pipelin\$3 NEAR10 (register OR latch) NEAR10 skew AND @pd>="20101007"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/21 16:26
S109	1	pipelin\$3 NEAR10 (register OR latch) NEAR10 (clock OR signal) delay AND @pd>="20101007"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/21 16:27
S110	1	pipelin\$3 NEAR10 (register OR latch) NEAR10 time NEAR10 align\$3 AND @pd>="20101007"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/21 16:28
S111	1	(712/20-22).cds. AND pipeline register AND @pd>="20101007"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/21 16:29
S112	0	((("4314349" "4439839" "4481580" "5056000" "5187795" "5418952" "5471592" "5481736" "5497465" "5581777" "5606707").PN. OR ("5729758").URFN.) AND @pd>="20101007"	US-PGPUB; USPAT; USOCR	ADJ	ON	2011/01/21 16:30
S113	3	(712/20-22).cds. AND propagation AND @pd>="20101007"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/21 16:30
S114	1	(712/20-22).cds. AND propagation (time OR delay) AND @pd>="20101007"	US-PGPUB; USPAT; USOCR;	ADJ	ON	2011/01/21 16:31

			FPRS, EPO; JPO; DERWENT; IBM, TDB			
--	--	--	--	--	--	--

EAST Search History (Interference)

< This search history is empty >

5/ 3/ 2011 10:26:17 AM

C:\Users\kvicary\Documents\EAST\Workspaces\10552076.wsp